

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/773,181	02/09/2004	Hiroshi Machino	1163-0491P	6757
2292 BIRCH STEW	7590 09/07/200 ART KOLASCH & BI	EXAMINER		
PO BOX 747			WEISKOPF, MARIE	
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			3661	
			NOTIFICATION DATE	DELIVERY MODE
			09/07/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

	Application No.	Applicant(s)			
	10/773,181	MACHINO, HIROSHI			
Office Action Summary	Examiner	Art Unit			
	Marie A. Weiskopf	3661			
The MAILING DATE of this communication ap	ppears on the cover sheet wit	h the correspondence address			
Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a red d will apply and will expire SIX (6) MONI te, cause the application to become ABA	CATION. ply be timely filed ITHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>23 l</u>	May 2007.				
3) Since this application is in condition for allows	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	. 11, 453 O.G. 213.			
Disposition of Claims	·				
4)⊠ Claim(s) <u>4,5 and 8-10</u> is/are pending in the a	polication				
4a) Of the above claim(s) is/are withdra					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>4.5,8-10</u> is/are rejected.	•	· · · · · · · · · · · · · · · · · · ·			
7) Claim(s) is/are objected to.	•				
8) Claim(s) are subject to restriction and/	or election requirement.				
Application Papers					
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac	· ·	ov the Evaminer			
Applicant may not request that any objection to the		•			
Replacement drawing sheet(s) including the corre	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
11) The oath or declaration is objected to by the E					
Priority under 35 U.S.C. § 119		•			
•	un priority under 35 II S.C. &	119(a) (d) or (f)			
12) Acknowledgment is made of a claim for foreiga) All b) Some * c) None of:	in priority under 35 0.5.C. §	119(a)-(u) 01 (1).			
1. Certified copies of the priority documer	nts have been received.				
2. Certified copies of the priority documents have been received in Application No.					
3. Copies of the certified copies of the pri					
application from the International Bure					
* See the attached detailed Office action for a lis	st of the certified copies not	received.			
Attachment(s)	,				
1) Notice of References Cited (PTO-892)		ummary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948))/Mail Date formal Patent Application			
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:				

Application/Control Number: 10/773,181 Page 2

Art Unit: 3661

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 4, 5, 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ito et al (US 6,470,266) in view of Inoue et al (US 6,295,503). Ito et al discloses a vehicular navigation system using restricted-type road map data and Inoue et al discloses a route setting device for setting a destination route from a departure point to a destination.
 - In regard to claim 4, Ito et al discloses a route searching apparatus comprising:
 - A map data acquiring unit for acquiring map data defined by nodes and road links (Column 2, lines 42-44)
 - A route searching unit for searching for a route to a destination in consideration of road links corresponding to specific roads, the road links being included in the map data acquired by the map data acquiring unit (Column 3, line 65 – Column 4, line 3; column 4, lines 28-32)
 - An output unit for outputting the route searched for by the route searching unit (Column 3, lines 18-20)
 - o Wherein the route searching unit searches for the route to the destination while counting road links corresponding to specific roads included in the

Art Unit: 3661

map data acquired by the map data acquiring unit as targets to be searched for (Column 4, lines 28-32)

Ito et al, however, fails to disclose on which determination of whether or not a vehicle is allowed to travel can be performed according to a condition of the vehicle, where the condition of the vehicle is set after the route is searched, when the searched-for route includes a specific road. Ito et al discloses, as discussed above, determines the shortest path for the vehicle which will include restrictedtype roads. (Column 4, lines 28-32) Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restricted-type road and also there is a vocal announcement that the restricted-type road is coming. (Column 6, lines 50-67) Inoue et al discusses urging a message to the user for determining how many passengers are in the vehicle. Upon the determination of how many passengers are in the vehicle, Inoue et al then calculates the route accordingly. (Column 10, lines 54-65) It would have been obvious to one having ordinary skill in the art at the time of the invention to use the message urging and recalculation of the route if restrictedroad requirements are not met as taught by Inoue et al with the invention of Ito et al in order to allow a user to find the shortest possible route and if the shortest possible route includes restricted roads to then determine if they can drive on these roads and if not, to find another route.

• In regard to claim 5, Ito et al discloses a route searching apparatus comprising:

Art Unit: 3661

 A map data acquiring unit for acquiring map data defined by nodes and road links (Column 2, lines 42-44)

Page 4

- A route searching unit for searching for a route to a destination in consideration of road links corresponding to specific roads, the road links being included in the map data acquired by the map data acquiring unit (Column 3, line 65 – Column 4, line 3; column 4, lines 28-32)
- An output unit for outputting the route searched for by the route searching unit (Column 3, lines 18-20)
- Wherein the route searching unit searches for the route to the destination while counting road links corresponding to specific roads included in the map data acquired by the map data acquiring unit as targets to be searched for (Column 4, lines 28-32)

Ito et al, however, fails to disclose on which determination of whether or not a vehicle is allowed to travel can be performed according to a condition of the vehicle, where the condition of the vehicle is set after the route is searched and when the detecting unit detects that the vehicle reaches a predetermined region including a specific road, the route searching unit outputs a message to urge setting of the condition of the vehicle. Ito et al discloses, as discussed above, determines the shortest path for the vehicle which will include restricted-type roads. (Column 4, lines 28-32) Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restricted-type road and also there is a vocal announcement that

the restricted-type road is coming. (Column 6, lines 50-67) Inoue et al discusses urging a message to the user for determining how many passengers are in the vehicle. Upon the determination of how many passengers are in the vehicle, Inoue et al then calculates the route accordingly. (Column 10, lines 54-65) It would have been obvious to one having ordinary skill in the art at the time of the invention to use the message urging and recalculation of the route if restricted-road requirements are not met as taught by Inoue et al with the invention of Ito et al in order to allow a user to find the shortest possible route and if the shortest possible route includes restricted roads to then determine if they can drive on these roads and if not, to find another route.

- In regard to claim 8, Ito et al discloses a route searching apparatus comprising:
 - A map data acquiring unit for acquiring map data defined by nodes and road links (Column 2, lines 42-44)
 - A route searching unit for searching for a route to a destination in consideration of road links corresponding to specific roads, the road links being included in the map data acquired by the map data acquiring unit (Column 3, line 65 – Column 4, line 3; column 4, lines 28-32)
 - An output unit for outputting the route searched for by the route searching unit (Column 3, lines 18-20)

Ito et al, however, fails to disclose the route searching unit searches for the route excluding the road links included in the map data acquired by the map data acquiring unit and corresponding to the specific roads from targets to be

Art Unit: 3661

searched, when the searched-for route includes a specific road, the route searching unit outputs a message to urge setting of the condition of the vehicle and if the input to the message doesn't meet the requirements, the route searching unit researches the route excluding the roads that don't meet the requirement. Ito et al discloses, as discussed above, determines the shortest path for the vehicle which will include restricted-type roads. (Column 4, lines 28-32) Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restrictedtype road and also there is a vocal announcement that the restricted-type road is coming. (Column 6, lines 50-67) Inoue et al discusses urging a message to the user for determining how many passengers are in the vehicle. Upon the determination of how many passengers are in the vehicle, Inoue et al then calculates the route accordingly. (Column 10, lines 54-65) It would have been obvious to one having ordinary skill in the art at the time of the invention to use the message urging and recalculation of the route if restricted-road requirements are not met as taught by Inoue et al with the invention of Ito et al in order to allow a user to find the shortest possible route and if the shortest possible route includes restricted roads to then determine if they can drive on these roads and if not, to find another route.

- In regard to claim 9, Ito et al discloses a route searching apparatus comprising:
 - A map data acquiring unit for acquiring map data defined by nodes and road links (Column 2, lines 42-44)

Art Unit: 3661

 A route searching unit for searching for a route to a destination in consideration of road links corresponding to specific roads, the road links being included in the map data acquired by the map data acquiring unit (Column 3, line 65 – Column 4, line 3; column 4, lines 28-32)

Page 7

 An output unit for outputting the route searched for by the route searching unit (Column 3, lines 18-20)

Ito et al, however, fails to disclose the route searching unit searches for the route excluding the road links included in the map data acquired by the map data acquiring unit and corresponding to the specific roads from targets to be searched, when the searched-for route includes a specific road, and the route searching unit outputs a message to urge setting of the condition of the vehicle. Ito et al discloses, as discussed above, determines the shortest path for the vehicle which will include restricted-type roads. (Column 4, lines 28-32) Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restricted-type road and also there is a vocal announcement that the restricted-type road is coming. (Column 6, lines 50-67) Inoue et al discusses urging a message to the user for determining how many passengers are in the vehicle. Upon the determination of how many passengers are in the vehicle, Inoue et al then calculates the route accordingly. (Column 10, lines 54-65) It would have been obvious to one having ordinary skill in the art at the time of the invention to use the message urging and recalculation of the route if restricted-road requirements are not met as taught by Inoue et al with the invention of Ito et al in order to allow a user

Art Unit: 3661

to find the shortest possible route and if the shortest possible route includes restricted roads to then determine if they can drive on these roads and if not, to find another route.

In regard to claim 10, Ito et al fails to disclose wherein the route searching unit also searches, prior to the setting of the condition, the route to the destination by excluding the road links included in the map data acquired by the map data acquiring unit and corresponding to the specific roads from targets to be searched for, where one of the searched routes for the route which includes road links corresponding to the specific roads or the route searching excluding road links corresponding to the specific roads is output based on the condition set. Ito et al discloses, as discussed above, determines the shortest path for the vehicle which will include restricted-type roads. (Column 4, lines 28-32) Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restricted-type road and also there is a vocal announcement that the restricted-type road is coming. (Column 6, lines 50-67) Inoue et al discusses urging a message to the user for determining how many passengers are in the vehicle. Upon the determination of how many passengers are in the vehicle, Inoue et al then calculates the route accordingly. (Column 10, lines 54-65) It would have been obvious to one having ordinary skill in the art at the time of the invention to use the message urging and recalculation of the route if restricted-road requirements are not met as taught by Inoue et al with the invention of Ito et al in order to allow a user to find the

Application/Control Number: 10/773,181 Page 9

Art Unit: 3661

shortest possible route and if the shortest possible route includes restricted roads to then determine if they can drive on these roads and if not, to find another route.

Response to Arguments

3. Applicant's arguments filed 11/06/06 have been fully considered but they are not persuasive. Applicant argues that Inoue fails to remedy the deficiencies of Ito. Examiner respectfully disagrees. Ito, as discussed previously, determines the shortest path for the vehicle which will include restricted-type roads. Ito et al discusses if a restricted-type road is used in the travel path, the travel guidance is differentiated from the normal one to indicate the restricted-type road and also there is a vocal announcement that the restricted-type road is coming. Ito et al, as discussed above also, fails to then set a condition to determine if the vehicle is allowed to travel on the road. Inoue et al teaches the need to set a condition to be able to determine if a vehicle can travel on a road, and if not, to then not include those restricted roads. Although in Inoue et al it is taught to set the condition prior to the route search, it would have been obvious to one having ordinary skill in the art at the time of the invention to prompt the user for the condition when Ito et al announces the restricted road is coming. Instead of the user making the decision by themselves to use the restricted road or not, as taught in Ito et al. Inoue et al teaches the navigation system being able to determine itself whether or not the vehicle can travel on the road by the condition set. If there is no restricted road in the path, there is no need to change the travel guidance as discussed by Ito et al. Further, applicant argues that in Inoue the route is calculated after the

Art Unit: 3661

determination and not upon the determination. Examiner agrees that Inoue teaches the route is calculated after the determination of the condition, however, upon the determination of the condition is in essence the same thing. Each is some period after the determination is set. Furthermore, Inoue et al is being used to teach that there is a necessity to be able to set a condition for restricted type roads and be able to reroute a user if they can not use the road, and it would have been obvious to one having ordinary skill in the art at the time of the invention to set that condition whenever was most convenient for the user and the navigation system. KSR forecloses the argument that a **specific** teaching, suggestion, or motivation is required to support a finding of obviousness. See the recent Board decision *Ex parte Smith*, --USPQ2d--, slip op. at 20, (Bd. Pat. App. & Interf. June 25, 2007) (citing *KSR*, 82 USPQ2d at 1396) (available at http://www.uspto.gov/web/offices/dcom/bpai/prec/fd071925.pdf).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marie A. Weiskopf whose telephone number is (571) 272-6288. The examiner can normally be reached on Monday-Thursday between 7:00 AM and 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Black can be reached on (571) 272-6956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3661

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MW

THOMAS BLACK
THOMAS BLACK
USORY PATENT EXAMINER

Page 11